


Trampoline Assembly Instruction



Trampoline (Diameter)

6' 8' 10' 12' 13' 14' 15' 16'

Legs

6 5 4 3

Springs

42 48 54 66 72 80 88 96 100 110

Thank you for purchasing our product

READ THIS FIRST!!!

**IN CASE OF MISSING OR BROKEN PARTS,
PLEASE CONTACT PLACE WHERE
PURCHASED FOR ASSISTANCE.**

Assembly, Installation, Care, Maintenance and Use Instructions Manual
depicts typical installation – your model may differ from illustrations

ASSEMBLY INSTRUCTIONS



- Only assemble by adult.
- **To assemble this trampoline** all you need is our special spring loading tool provided with this product. During periods of non-use. This trampoline can be easily disassembled and stored. **Please read the assembly instructions before assembly.**

PRIOR TO ASSEMBLING


Please refer to the table for part descriptions and numbers. The assembly instructions use these descriptions and numbers as reference. Make sure you have all parts listed. If you are missing any parts, please contact place where purchase.

Please use gloves to protect your hands from pinch points during assembly.

TWO PEOPLE ARE REQUIRED TO ASSEMBLE THE TRAMPOLINE, REMEMBER TO USE GLOVES DURING ASSEMBLY TO AVOID PINCHING




Part Number	Description	6'	8'	10'	12'	13'	14'	15'	16'	
1	Trampoline Mat				1 PCS					
2	Frame Pad				1 PCS					
3	Top Rail	6 PCS	8 PCS	8 PCS	8 PCS	10 PCS	10 PCS	10 PCS	10 PCS	
4	T shape section	6 PCS	6 PCS	8 PCS	8 PCS	10 PCS	10 PCS	10 PCS	10 PCS	
5	Vertical Leg Extension	6 PCS	6 PCS	8 PCS	8 PCS	10 PCS	10 PCS	10 PCS	10 PCS	
6	Leg Base	3 PCS	4 PCS	4 PCS	4 PCS	5 PCS	5 PCS	5 PCS	5 PCS	
7	Springs	Please see the following installation steps								
8	Clip with spring tool				1 PCS					
9	Safety Instruction Placard				1 PCS					




Frame Layout

Check that you have received all parts using the relevant illustrations below. All parts with the same part # are interchangeable and do not have "right" or "left" orientation, to connect the parts, simply slide a section of tubing into the adjacent section. These joints are called "T shape section"




Please install step by step according to below instructions.

Assemble 8-16ft or above according to figure 3




3




1

Assemble 6ft Trampoline according to figure 4.




4




2


Assemble 8~15ft or above according to figure 5




Assemble 6~16ft or above according to figure 7



Assemble 6~16ft or above according to figure 6




Assemble 6~16ft or above according to figure 8



ok

WARNING A


IMPORTANT - It is essential that the intended site for this trampoline is completely flat and level. If the ground is un-level this will cause movement in the frame and could cause stress on the joined sections.



Safety placard Attachment

Using the tie wrap, attach the Safety Instruction Placard to the trampoline. The tie wrap should be go around the Vertical Frame joint and the Top Rail to ensure it remains attached.


Pull the tool and attach the spring hook link up to the frame.



Trampoline Mat Assembly

Take care when attaching springs to the trampoline mat. You will need another person to help you to assemble this part. **ATTENTION**-When attaching the Springs, the Connector Points can pinch when trampoline is tightening up.

- A. Lay out the Trampoline Mat(1) inside the frame
The white cross and safety labels should be facing upwards
- B. How to use the spring tool.




Be careful where you place your hands etc. during spring assembly as connector points can pinch!

1. The following figures tell you how to fix the springs most easily and tighten the trampoline mat as steady as possible.
2. Choose a connecting point on the frame of the trampoline. Use the clock to help and choose the point that points at 12 o'clock Position the spring on the edge of jumping mat. Attach tool and link up to the spring hook with hook end of the tool. Pull the tool and attach the spring hook link up to the frame. Repeat this at the 6 o'clock point. Assemble the first 4 springs in the same way at 12,6,3 and 9 o'clock.

3. Repeat (2) to attach the remaining springs in the same way. Take notice that the tightening of the trampoline mat should be shared equally. Therefore always attach two springs across from each other. This is very important. You will not be able to attach all springs because the tightening of the trampoline mat will increase with the number of springs attached.

Finally after assembly, the space between all springs should be equal.


4. If you notice that you have skipped a hole and V Ring connection, recount and remove or attach any springs required to maintain the count of springs




Pad fixation steps

- A. Lay the Frame Pad(2) over the trampoline so that the springs and the steel frame is covered. Ensure that the Frame Pad be cover all metal parts.
- B. Tie the strap located at the underside of the frame pad to the frame.
- C. Select your Pad model.


Model 1



Model 2



Model 3.



HOW TO DISASSEMBLE THE T-SECTION

REMARKS (Only disassemble by adult.)

If you want to disassemble the trampoline, some parts may need the rubber hammer (Not provide) help.

1. Maybe the leg tubes (#6) with T-section (#4) very tight, not easy disassemble. Hang up the leg and use the hit the top rail (#3) by rubber hammer. So, you can easy disassemble this part.

